



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/608,085	06/30/2003	Yong-Sup Hwang	8733.873.00-US	8100
30827	7590	09/07/2005		
MCKENNA LONG & ALDRIDGE LLP 1900 K STREET, NW WASHINGTON, DC 20006			EXAMINER CHOWDHURY, TARIFUR RASHID	
			ART UNIT 2871	PAPER NUMBER
DATE MAILED: 09/07/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

AK

Office Action Summary	Application No. 10/608,085	Applicant(s) HWANG ET AL.	
	Examiner Tarifur R. Chowdhury	Art Unit 2871	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 July 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim, USPAT 6,043,511 in view of Choi et al., (Choi), US 2002/0117691

4. Kim discloses and shows in Figs. 9-11 and 13A-13C, an array substrate for use in a liquid crystal display device, comprising:

- a gate electrode (12), a gate line (11) and a gate pad electrode (13) on a substrate (100), wherein all of the gate electrode, the gate line and the gate pad electrode have a double-layered structure including a first and second layers formed by AL-Nd and Mo, or Cr (first barrier metal layer) and Al-Nd (Fig. 13A; col. 6, lines 19-60);

Art Unit: 2871

- a gate insulating layer (20) on the substrate covering the double-layered gate electrode, gate line and gate pad (Fig. 13A);
- an active layer (30) and an ohmic contact layer (40) sequentially formed on the gate insulating layer and over the gate electrode;
- a data line (51) on the gate insulating layer crossing the gate line (11), source and drain electrodes (52, 53) contacting the ohmic contact layer (40), and a data pad electrode (54) on the gate insulating layer (Fig. 13B);
- a passivation layer (60) formed on the gate insulating layer to cover the data line, source and drain electrodes and data pad electrode, wherein the passivation layer has a drain contact hole exposing the drain electrode (53), a gate pad contact hole exposing the gate pad electrode (13), and a data pad contact hole exposing the data pad (54) (Fig. 13C) ; and
- a pixel electrode (70), a gate pad terminal and a data pad terminal all of which are formed of a transparent conductive material on the passivation layer (col. 7, lines 18-21).

As discussed above Kim discloses that the gate electrode, gate line and gate pad electrode have double-layered structure including a first barrier metal layer and a first layer of Al-Nd. Kim differs from the instant invention because he does not explicitly disclose the limitations such as (1) the gate electrode, the gate line and the gate pad electrode have a double-layered structure wherein the first layer is copper and (2) the data line, the source and drain electrodes and the data pad electrode having a double-layered structure including a second barrier metal layer and a second copper layer.

Art Unit: 2871

Choi discloses an array substrate for use in a liquid crystal display device wherein the gate line assembly (including gate line, gate electrode and gate pad) and the data line assembly (includes data line, source electrode, drain electrode and data pad) can be formed of a double-layered structure such as a barrier metal layer and a copper layer. Choi also discloses that copper has low resistance(page 8, paragraph 0118; page 9, paragraph 0125, 0129, 0132-0135; page 10, paragraph 0148; page 11, paragraph 0152).

Choi is evidence that ordinary workers in the art would find a reason, suggestion or motivation to use copper to form gate line assembly and data line assembly.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to substitute the Al-Nd layer of the gate electrode, the gate line, the gate pad, the data line, the drain electrode, the source electrode and the data pad electrode of Kim with a copper layer for advantages such as to obtain low resistance wiring, as per the teachings of Choi.

Accordingly, claim 1 would have been obvious.

As to claim 17, the method of forming the array substrate for use in a liquid crystal display device merely recites the steps of forming each element and since each element must be formed to make the device, the method would have at least been obvious.

As to claims 2, 3, 18 and 19, Kim shows in Fig. 9 that the gate electrode (12) extends from the gate line (11) and the gate electrode is at the end of the gate line and that the source electrode (52) extends from the data line (51), wherein the drain

Art Unit: 2871

electrode (53) is spaced apart from the source electrode, and wherein the data pad (54) is at the end of the data line (51).

As to claims 4 and 20, Figs. 9 and 13C of Kim also shows that the pixel electrode (70) is disposed in a pixel region defined by the crossing of the gate and data lines, wherein the pixel electrode contacts the drain electrode (53) through the drain contact hole, wherein the gate pad terminal contacts the gate pad through the gate pad contact hole (14) and wherein the data pad terminal contacts the data pad through the data pad contact hole (55).

As to claims 5-8 and 21-24, Kim discloses that the barrier metal layer is chromium, which inherently has good adhesive characteristics (col. 6, lines 56-60).

As to claims 9, 10, 25 and 26, Choi discloses (page 6, paragraph 0091) and shows in Fig. 7, a double-layered capacitor electrode on the gate insulating layer and over the portion of the gate line, wherein the double-layered capacitor electrode is connected in parallel with the pixel electrode through a contact hole that formed in the passivation layer and thus would have been obvious to form storage capacitance for improving storage capacity of the pixel electrode.

As to claims 11 and 27, Kim discloses (col. 4, lines 66-67) that the gate insulation layer is an inorganic material such as silicon oxide or silicon nitride.

As to claims 12 and 28, Kim further discloses (col. 5, lines 14-15) that the passivation layer is made of silicon nitride.

As to claims 13-16 and 29-32, Choi discloses the use of a buffer layer (page 9, paragraph 0131) made of an inorganic material to separate the gate line assembly from

Art Unit: 2871

the substrate and data line assembly form the thin film transistor array to prevent contacts between the substrate and the barrier metal layer as well as the contacts between the barrier metal layer and the thin film transistor array and thus would have been obvious.

Response to Arguments

5. Applicant's arguments filed on July 12, 2005 have been fully considered but they are not persuasive.

Applicant's only argument:

Neither Kim or Choi alone or in combination with any other references teach or suggest the limitations such as, "the first copper layer is on the first barrier metal layer" and "the second copper layer is on the second barrier metal layer".

Examiner's response:

First of all it is respectfully pointed out to applicant that the claim recites that all of the gate line, gate pad, gate electrode, data line, data pad, source electrode, drain electrode have double-layered structure (one layer is on the other layer) and since Kim discloses the use of double-layered structure for the gate line, gate pad and gate electrode and Choi discloses the use of double-layered structure for gate line assembly and data line assembly wherein one layer is a barrier metal layer and the other layer is copper. Choi further discloses the advantage of using copper. Therefore, by combining Kim and Choi one of ordinary skill in the art would come up with a double-layered structure for the gate line assembly (gate electrode, gate pad, gate line) and the data line assembly (data line, data pad, source electrode, drain electrode) wherein one layer

Art Unit: 2871

is a barrier metal layer and the other layer is a copper layer wherein the copper layer is on the other layer.

Therefore, the rejection was proper and thus maintained.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tarifur R. Chowdhury whose telephone number is (571) 272-2287. The examiner can normally be reached on M-Th (6:30-5:00) Friday Off.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571) 272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TRC

September 05, 2005



TARIFUR R. CHOWDHURY
PRIMARY EXAMINER